

Message

From: Whiting, Paula [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=078D1C3BE237445ABE44B2AA135F8E66-WHITING, PAULA]
Sent: 1/16/2020 8:47:41 PM
To: McMillian, Marlon D [MMcMillian@adem.alabama.gov]
Subject: RE: ADEM Rehau CEI Report 12022019
Attachments: ADEM Rehau CEI Report 12022019 PAW edits.docx

Hey Marlon,

A few edits and a couple of questions.

Thanks,

Paula A Whiting
Environmental Engineer
Land, Asbestos and Lead Section
Chemical Safety and Land Enforcement Branch
Enforcement and Compliance Assurance Division
US Environmental Protection Agency - Region IV
Sam Nunn Atlanta Federal Center
61 Forsyth Street SW, 10th Floor
Atlanta, GA 30303
Phone: 404-562-9277
FAX: 404-562-8566

NOTE: This message and any attachments from the U.S. Environmental Protection Agency may contain CONFIDENTIAL and legally protected information. If you are not the addressee or the intended recipient, please do not read, copy, use or disclose this communication to others. Also, please notify the sender by replying to this message and then delete it from your system.

From: McMillian, Marlon D <MMcMillian@adem.alabama.gov>
Sent: Tuesday, January 14, 2020 5:00 PM
To: Whiting, Paula <Whiting.Paula@epa.gov>
Subject: ADEM Rehau CEI Report 12022019

The suggested changes have been incorporated, please review.